# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 05/22/2020 Revision date: 03/14/2023 Supersedes: 02/21/2022 Version: 1.0



## **SECTION 1: Identification**

1.1. Identification

Product form : Mixture

Product name : CW70 - SUPERTRATE FLASH FOAM POLISH

Product code : CW70

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.3. Details of the supplier of the safety data sheet

Sky Blue Chemical 760 W. Exchange Road Ogden, Utah 84401 - USA T (801) 394-8611

www.skybluechemical.com

### 1.4. Emergency telephone number

Emergency number : Chemtrec 1-800-424-9300

## SECTION 2: Hazard(s) identification

### 2.1. Classification of the substance or mixture

### **GHS US classification**

Eye Dam. 1 Causes serious eye damage

Carc. 1B May cause cancer

### 2.2. Label elements

### **GHS US labeling**

Hazard pictograms (GHS US)



GHS05

GHS08

Signal word (GHS US) : Danger

Hazard statements (GHS US) : Causes serious eye damage

May cause cancer

Precautionary statements (GHS US)

Prevention : Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.

Response : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

If exposed or concerned: Get medical advice/attention.

Immediately call a poison center or doctor.

Storage : Store locked up.

Disposal : Dispose of contents/container to hazardous or special waste collection point, in accordance

with local, regional, national and/or international regulation.

# 2.3. Other hazards

## 2.4. Unknown acute toxicity (GHS US)

# **SECTION 3: Composition/Information on ingredients**

## 3.1. Substances

Not applicable

### 3.2. Mixtures

03/15/2023 EN (English US) Page 1

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS US classification
butyl glycolether	(CAS-No.) 111-76-2	5 – 10	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2B, H320
HUE METANIL CONC LIQUID (colorants)		5 – 10	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2B, H320 Aquatic Acute 2, H401 Aquatic Chronic 4, H413
Distillates (petroleum), hydrotreated middle, Gasoil - unspecified, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C11 through C25 and boiling in the range of approximately 205 °C to 400 °C (401 °F to 752 °F).]	(CAS-No.) 64742-46-7	5 – 10	Carc. 1B, H350
JUICY MANGO (Fragrance)		5 – 10	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
Lauryldimethylamine oxide	(CAS-No.) 1643-20-5	3-5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
Isopropyl alcohol	(CAS-No.) 67-63-0	0.1 – 3	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Full text of hazard classes and H-statements : see section 16

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact : Serious damage to eyes.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

# 5.2. Special hazards arising from the substance or mixture

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene.

## 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

03/15/2023 EN (English US) 2/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters.

Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Avoid contact with skin and eyes.

Hygiene measures

Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

980 mg/m<sup>3</sup>

400 ppm

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Lauryldimethylamine oxide (1643-20-5)			
Not applicable	Not applicable		
butyl glycolether (111-76-2)			
ACGIH	ACGIH OEL TWA [ppm]	20 ppm	
ACGIH	Remark (ACGIH)	Eye & URT irr	
OSHA	OSHA PEL (TWA) [1]	240 mg/m³	
OSHA	OSHA PEL (TWA) [2]	50 ppm	
Isopropyl alcohol (67-63-0)	Isopropyl alcohol (67-63-0)		
ACGIH	ACGIH OEL TWA [ppm]	200 ppm	
ACGIH	ACGIH OEL STEL [ppm]	400 ppm	
ACGIH	Remark (ACGIH)	Eye & URT irr; CNS impair	

### **HUE METANIL CONC LIQUID**

Not applicable

**OSHA** 

**OSHA** 

## **JUICY MANGO**

Not applicable

Distillates (petroleum), hydrotreated middle, Gasoil - unspecified, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C11 through C25 and boiling in the range of approximately 205 °C to 400 °C (401 °F to 752 °F).] (64742-46-7)

Not applicable

8.2.	Exposure control	S

Appropriate engineering controls : Ensure good ventilation of the work station.

OSHA PEL (TWA) [1]

OSHA PEL (TWA) [2]

Hand protection : Protective gloves.

03/15/2023 EN (English US) 3/9

# Safety Data Sheet

Odor threshold

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Eye protection : Safety glasses.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : Wear respiratory protection.

Environmental exposure controls : Avoid release to the environment.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid

: No data available: No data available: No data available

pH : 6-8

Melting point : Not applicable
Freezing point : No data available
Boiling point : No data available

Flash point : > 212 °F

: No data available Relative evaporation rate (butyl acetate=1) Flammability : Not applicable. Vapor pressure : No data available Relative vapor density at 20 °C : No data available : No data available Relative density Density : 8.93 lb/gal Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available : No data available Auto-ignition temperature : No data available Decomposition temperature Viscosity, kinematic : No data available : No data available Viscosity, dynamic **Explosion limits** : No data available Explosive properties : No data available : No data available Oxidizing properties

## 9.2. Other information

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

# 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

## 10.5. Incompatible materials

No additional information available

# 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity : Not classified

03/15/2023 EN (English US) 4/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Lauryldimethylamine oxide (1643-20-5)		
LD50 oral rat	1064 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))	
ATE US (oral)	1064 mg/kg body weight	
butyl glycolether (111-76-2)		
LD50 oral rat	1746 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male, Experimental values, 14 day(s))	
LD50 dermal rat	> 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)	
LD50 dermal rabbit	435 mg/kg body weight (Rabbit; Experimental value; OECD 402: Acute Dermal Toxicity; 435 mg/kg bodyweight; Rabbit; Weight of evidence; Equivalent or similar to OECD 402)	
LC50 Inhalation - Rat	> 4.26 mg/l (4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))	
ATE US (oral)	1746 mg/kg body weight	
ATE US (dermal)	435 mg/kg body weight	
ATE US (gases)	4500 ppmV/4h	
ATE US (vapors)	11 mg/l/4h	
ATE US (dust, mist)	1.5 mg/l/4h	
Isopropyl alcohol (67-63-0)		
LD50 oral rat	5840 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Experimental value, Oral, 14 day(s))	
LD50 dermal rabbit	16400 ml/kg (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 1 day(s))	
LC50 Inhalation - Rat [ppm]	> 10000 ppm (Equivalent or similar to OECD 403, 6 h, Rat, Male / female, Experimental value Inhalation (vapours), 14 day(s))	
ATE US (oral)	5840 mg/kg body weight	
ATE US (dermal)	12890400 mg/kg body weight	
HUE METANIL CONC LIQUID		
LD50 oral rat	> 3000 mg/kg	
LD50 dermal rat	> 2 g/kg	
ATE US (oral)	500 mg/kg body weight	
ATE US (gases)	4500 ppmV/4h	
ATE US (vapors)	11 mg/l/4h	
ATE US (dust, mist)	1.5 mg/l/4h	
JUICY MANGO		
ATE US (oral)	500 mg/kg body weight	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	pH: 6 – 8 : Causes serious eye damage.	
	pH: 6 – 8	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: May cause cancer.	
butyl glycolether (111-76-2)		
IARC group	3 - Not classifiable	
Isopropyl alcohol (67-63-0)		
IARC group	3 - Not classifiable	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
or on green expectate	. Hot dassined	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
Symptoms/effects after eye contact	: Serious damage to eyes.	
3/15/2023 EN (English US)		

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

Lauryldimethylamine oxide (1643-20-5)		
LC50 - Fish [1]	134 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value)	
EC50 - Crustacea [1]	3.9 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)	
butyl glycolether (111-76-2)		
LC50 - Fish [1]	1474 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Lethal)	
EC50 - Crustacea [1]	1550 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)	
ErC50 algae	≈ 911 mg/l (72 Hr.)	
Isopropyl alcohol (67-63-0)		
LC50 - Fish [1]	9640 – 10000 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal)	

# 12.2. Persistence and degradability

Lauryldimethylamine oxide (1643-20-5)		
Persistence and degradability	Readily biodegradable in water.	
butyl glycolether (111-76-2)		
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air.	
Biochemical oxygen demand (BOD)	0.71 g O <sub>2</sub> /g substance	
Chemical oxygen demand (COD)	2.2 g O <sub>2</sub> /g substance	
ThOD	2.305 g O <sub>2</sub> /g substance	
BOD (% of ThOD)	0.31	
Isopropyl alcohol (67-63-0)		
Persistence and degradability	Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	1.19 g O₂/g substance	
Chemical oxygen demand (COD)	2.23 g O <sub>2</sub> /g substance	
ThOD	2.4 g O <sub>2</sub> /g substance	

## 12.3. Bioaccumulative potential

Lauryldimethylamine oxide (1643-20-5)			
Partition coefficient n-octanol/water (Log Pow)	< 2.7 (Calculated)		
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).		
butyl glycolether (111-76-2)	butyl glycolether (111-76-2)		
Partition coefficient n-octanol/water (Log Pow)	0.81 (Experimental value; BASF test; 25 °C)		
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).		
Isopropyl alcohol (67-63-0)			
Partition coefficient n-octanol/water (Log Pow)	0.05 (Weight of evidence approach, 25 °C)		
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).		

## 12.4. Mobility in soil

Lauryldimethylamine oxide (1643-20-5)		
Ecology - soil Low potential for adsorption in soil.		
butyl glycolether (111-76-2)		
Surface tension	0.027 N/m (25 °C)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.451 – 0.882 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil	Highly mobile in soil.	

03/15/2023 EN (English US) 6/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Isopropyl alcohol (67-63-0)	
Surface tension	No data available (test not performed)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.185 – 0.541 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Highly mobile in soil.

## 12.5. Other adverse effects

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

# **SECTION 14: Transport information**

## **Department of Transportation (DOT)**

In accordance with DOT

Not applicable

## **Transportation of Dangerous Goods**

Not applicable

.

### Transport by sea

Not applicable

## Air transport

Not applicable

# **SECTION 15: Regulatory information**

## 15.1. US Federal regulations

Cocamidopropyl bentaine (61789-40-0)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Glycerol (56-81-5)		
Listed on the United States TSCA (Toxic Substa	nces Control Act) inventory	
Lauryldimethylamine oxide (1643-20-5)		
Listed on the United States TSCA (Toxic Substa	nces Control Act) inventory	
butyl glycolether (111-76-2)		
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard	
SARA Section 313 - Emission Reporting 1 %		
ethylene glycol (107-21-1)		
Subject to reporting requirements of United State	es SARA Section 313	
CERCLA RQ 5000 lb		
SARA Section 313 - Emission Reporting	1 %	
Isopropyl alcohol (67-63-0)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313		
SARA Section 313 - Emission Reporting	RA Section 313 - Emission Reporting 1 %	

03/15/2023 EN (English US) 7/9

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **Quaternary Ammonium Compounds (Not Available)**

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Acetic acid (64-19-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory Not subject to reporting requirements of the United States SARA Section 313

CERCLA RQ 5000 lb

## Glycidyloxypropyl trimethoxysilane (2530-83-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

EPA TSCA Regulatory Flag

TP - TP - indicates a substance that is the subject of a proposed TSCA section 4 test rule.

### Decamethylcyclopentasiloxane (541-02-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### **DICOCODIMONIUM CHLORIDE (61789-77-3)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### 15.2. International regulations

### **CW70 - SUPERTRATE FLASH FOAM POLISH**

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Water (7732-18-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

#### Sodium chloride (7647-14-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

### butyl glycolether (111-76-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

### ethylene glycol (107-21-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on EPA Hazardous Air Pollutant (HAPS)

### **Quaternary Ammonium Compounds (Not Available)**

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

### **HUE METANIL CONC LIQUID**

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

### **JUICY MANGO**

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

# Polysorbate 20

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

Distillates (petroleum), hydrotreated middle, Gasoil - unspecified, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C11 through C25 and boiling in the range of approximately 205 °C to 400 °C (401 °F to 752 °F).] (64742-46-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

## 15.3. US State regulations

ethylene glycol (107-21-1)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	Yes	No	No	

03/15/2023 EN (English US) 8/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## Glycerol (56-81-5)

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

## butyl glycolether (111-76-2)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

# ethylene glycol (107-21-1)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

### Isopropyl alcohol (67-63-0)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

## Acetic acid (64-19-7)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

## **SECTION 16: Other information**

Revision date : 03/14/2023

# Full text of H-phrases:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4	
Aquatic Acute 2	Hazardous to the aquatic environment – Acute Hazard Category 2	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard Category 2	
Aquatic Chronic 4	Hazardous to the aquatic environment – Chronic Hazard Category 4	
Carc. 1B	Carcinogenicity Category 1B	
Eye Dam. 1	Serious eye damage/eye irritation Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation Category 2	
Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B	
Flam. Liq. 2	Flammable liquids Category 2	
Flam. Liq. 4	Flammable liquids Category 4	
Skin Irrit. 2	Skin corrosion/irritation Category 2	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis	

SDS US (GHS HazCom 2012) - Custom

03/15/2023 EN (English US) 9/9