# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 02/02/2004 Revision date: 08/21/2023 Supersedes: 03/15/2023 Version: 1.0



### **SECTION 1: Identification**

### 1.1. Identification

Product form : Mixture

Product name : DT11 - HD EXTERIOR WASH

Product code : DT11

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Motor Vehicle Foaming Brush Detergent

### 1.3. Details of the supplier of the safety data sheet

Sky Blue Chemical 760 W. Exchange Road Ogden, Utah 84401 - USA T (801) 394-8611

www.skybluechemical.com

### 1.4. Emergency telephone number

Emergency number : Chemtrec 1-800-424-9300

### SECTION 2: Hazard(s) identification

### 2.1. Classification of the substance or mixture

### **GHS US classification**

Skin Irrit. 2 Causes skin irritation
Eye Irrit. 2 Causes serious eye irritation
Skin Sens. 1 May cause an allergic skin reaction

### 2.2. Label elements

### **GHS US labeling**

Hazard pictograms (GHS US)



GHS07

Signal word (GHS US) : Warning

Hazard statements (GHS US) : Causes skin irritation

May cause an allergic skin reaction Causes serious eye irritation

Precautionary statements (GHS US)

Prevention : Avoid breathing dust/fume/gas/mist/vapors/spray.

Wash hands, forearms and face thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

Response : If on skin: Wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Specific treatment (see supplemental first aid instruction on this label).

If skin irritation occurs: Get medical advice/attention.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Wash contaminated clothing before reuse.

Disposal : Dispose of contents/container to hazardous or special waste collection point, in accordance

with local, regional, national and/or international regulation.

### 2.3. Other hazards

### 2.4. Unknown acute toxicity (GHS US)

08/21/2023 EN (English US) Page 1

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **SECTION 3: Composition/Information on ingredients**

### **Substances**

Not applicable

#### 3.2. **Mixtures**

Name	Product identifier	%	GHS US classification
Sodium hydroxide	(CAS-No.) 1310-73-2	1 – 3	Met. Corr. 1, H290 Skin Corr. 1, H314 Aquatic Acute 3, H402
butyl glycolether	(CAS-No.) 111-76-2	1 – 3	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2B, H320
d-Limonene	(CAS-No.) 5989-27-5	0.1 – 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of hazard classes and H-statements : see section 16

### **SECTION 4: First aid measures**

### **Description of first aid measures**

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

: Remove person to fresh air and keep comfortable for breathing. Allow affected person to First-aid measures after inhalation

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation

or rash occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

: If eye irritation persists: Get medical advice/attention. Rinse cautiously with water for several First-aid measures after eye contact

minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation

persists: Get medical advice/attention.

First-aid measures after ingestion Do NOT induce vomiting. Obtain emergency medical attention. Call a poison

center/doctor/physician if you feel unwell.

### Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause an allergic skin reaction.

Symptoms/effects after skin contact : Causes skin irritation. Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Causes serious eye irritation. Eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

### Extinguishing media 5.1.

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

### 5.3. Advice for firefighters

Firefighting instructions Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Do not enter fire area without proper protective equipment, including respiratory protection. Do Protection during firefighting

not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

08/21/2023 EN (English US) 2/9

## Safety Data Sheet

**Emergency procedures** 

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **SECTION 6: Accidental release measures**

### Personal precautions, protective equipment and emergency procedures 6.1.

#### 6.1.1. For non-emergency personnel

: Ventilate spillage area. Evacuate unnecessary personnel. Keep upwind. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with Protective equipment

proper protection. For further information refer to section 8: "Exposure controls/personal

protection".

**Emergency procedures** Ventilate area.

### **Environmental precautions**

Avoid release to the environment. Prevent entry to sewers and public waters. See Section 12 for additional Ecological information.

### Methods and material for containment and cleaning up

: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or Methods for cleaning up

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

### Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

### **SECTION 7: Handling and storage**

### Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wash hands and other exposed areas with mild

soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapors/spray.

Wash hands, forearms and face thoroughly after handling. Wash contaminated clothing before Hygiene measures

reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### Conditions for safe storage, including any incompatibilities

: Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Storage conditions

Heat sources. Keep container closed when not in use. Store in a well-ventilated place. Keep

Incompatible products : Strong acids. Strong bases. Oxidizing agent.

Incompatible materials : Sources of ignition. Direct sunlight.

### **SECTION 8: Exposure controls/personal protection**

### **Control parameters**

Sodium hydroxide (1310-73-2)			
ACGIH	ACGIH OEL Ceiling	2 mg/m³	
ACGIH	Remark (ACGIH)	URT, eye, & skin irr	
OSHA	OSHA PEL (TWA) [1]	2 mg/m³	
butyl glycolether (111-76-2)			
ACGIH	ACGIH OEL TWA [ppm]	20 ppm	
ACGIH	Remark (ACGIH)	Eye & URT irr	
OSHA	OSHA PEL (TWA) [1]	240 mg/m³	
OSHA	OSHA PEL (TWA) [2]	50 ppm	
d-Limonene (5989-27-5)	d-Limonene (5989-27-5)		

Not applicable

### **Exposure controls**

Appropriate engineering controls : Ensure good ventilation of the work station.

08/21/2023 EN (English US) 3/9

# Safety Data Sheet

Odor threshold

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses. Safety glasses.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : Wear appropriate mask.

Environmental exposure controls : Avoid release to the environment.

Other information : Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

: No data available: No data available: No data available

pH : 3.3 – 3.5

pH solution : 1 %
Melting point : Not applicable

Freezing point : No data available
Boiling point : No data available

Flash point : > 212 °F

Relative evaporation rate (butyl acetate=1) : No data available Flammability : Non flammable. Vapor pressure : No data available Relative vapor density at 20 °C : No data available

: 1.02 Relative density Density : 8.52 lb/gal Solubility : Soluble in water. Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available : No data available Viscosity, kinematic Viscosity, dynamic : No data available **Explosion limits** : No data available : No data available Explosive properties Oxidizing properties : No data available

9.2. Other information

VOC content : 2.2 %

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

### 10.6. Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide.

08/21/2023 EN (English US) 4/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute toxicity : Not classified

butyl glycolether (111-76-2)		
LD50 oral rat	1746 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male, Experimental value, Oral, 14 day(s))	
LD50 dermal rat	> 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)	
LD50 dermal rabbit	435 mg/kg body weight (Rabbit; Experimental value; OECD 402: Acute Dermal Toxicity; 435 mg/kg bodyweight; Rabbit; Weight of evidence; Equivalent or similar to OECD 402)	
LC50 Inhalation - Rat	> 4.26 mg/l (4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))	
ATE US (oral)	1746 mg/kg body weight	
ATE US (dermal)	435 mg/kg body weight	
ATE US (gases)	4500 ppmV/4h	
ATE US (vapors)	11 mg/l/4h	
ATE US (dust, mist)	1.5 mg/l/4h	
d-Limonene (5989-27-5)		
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rai Female, Experimental value, Oral, 14 day(s))	
LD50 dermal rabbit	> 5000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Read-across, Dermal, 7 day(s))	
Skin corrosion/irritation	: Causes skin irritation.	
	pH: 3.3 – 3.5	
Serious eye damage/irritation	: Causes serious eye irritation.	
	pH: 3.3 – 3.5	
Respiratory or skin sensitization	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
butyl glycolether (111-76-2)		
IARC group	3 - Not classifiable	
d-Limonene (5989-27-5)		
IARC group	3 - Not classifiable	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.	
Symptoms/effects after inhalation	: May cause an allergic skin reaction.	
Symptoms/effects after skin contact	: Causes skin irritation. Irritation. May cause an allergic skin reaction.	
Symptoms/effects after eye contact	: Causes serious eye irritation. Eye irritation.	

### SECTION 12: Ecological information

: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.	
: Harmful to aquatic life. Harmful to aquatic life with long lasting effects.	
189 mg/l (48 h, Leuciscus idus, Fresh water, Experimental value)	
40.4 mg/l (48 h, Ceriodaphnia sp., Experimental value, Locomotor effect)	

08/21/2023 EN (English US) 5/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

butyl glycolether (111-76-2)	
LC50 - Fish [1]	1474 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Lethal)
EC50 - Crustacea [1]	1550 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 algae	≈ 911 mg/l (72 Hr.)
d-Limonene (5989-27-5)	
LC50 - Fish [1]	720 µg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 - Crustacea [1]	0.307 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semistatic system, Fresh water, Experimental value, GLP)

# 12.2. Persistence and degradability

Sodium hydroxide (1310-73-2)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
butyl glycolether (111-76-2)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air.
Biochemical oxygen demand (BOD)	0.71 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	2.2 g O <sub>2</sub> /g substance
ThOD	2.305 g O <sub>2</sub> /g substance
BOD (% of ThOD)	0.31
d-Limonene (5989-27-5)	
Persistence and degradability	Readily biodegradable in water.
ThOD	3.29 g O <sub>2</sub> /g substance

# 12.3. Bioaccumulative potential

DT11 - HD EXTERIOR WASH		
Bioaccumulative potential	Not established.	
Sodium hydroxide (1310-73-2)		
Bioaccumulative potential	Not bioaccumulative.	
butyl glycolether (111-76-2)		
Partition coefficient n-octanol/water (Log Pow)	0.81 (Experimental value; BASF test; 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
d-Limonene (5989-27-5)		
BCF - Fish [1]	864.8 l/kg (BCFBAF v3.01, Pisces, QSAR, Fresh weight)	
Partition coefficient n-octanol/water (Log Pow)	4.38 (Experimental value, Equivalent or similar to OECD 117, 37 °C)	
Bioaccumulative potential	Not established.	

# 12.4. Mobility in soil

Sodium hydroxide (1310-73-2)	
Surface tension	No data available in the literature
Ecology - soil	No (test)data on mobility of the substance available.
butyl glycolether (111-76-2)	
Surface tension	0.027 N/m (25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.451 – 0.882 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Highly mobile in soil.
d-Limonene (5989-27-5)	
Surface tension	No data available in the literature
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.049 – 3.801 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Low potential for mobility in soil.

### 12.5. Other adverse effects

08/21/2023 EN (English US) 6/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to comply with local/state/federal regulations..

Ecology - waste materials : Avoid release to the environment.

## **SECTION 14: Transport information**

### **Department of Transportation (DOT)**

In accordance with DOT

Not applicable

### **Transportation of Dangerous Goods**

Not applicable

μ

### Transport by sea

Not applicable

### Air transport

Not applicable

## **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

Sodium hydroxide (1310-73-2)			
Not subject to reporting requirements of the United States SARA Section 313			
CERCLA RQ	1000 lb		
butyl glycolether (111-76-2)	butyl glycolether (111-76-2)		
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard		
SARA Section 313 - Emission Reporting	1 %		
ethylene glycol (107-21-1)			
Subject to reporting requirements of United States SARA Section 313			
CERCLA RQ	5000 lb		
SARA Section 313 - Emission Reporting	1 %		
Sulfuric acid (7664-93-9)			
Not subject to reporting requirements of the United States SARA Section 313 Subject to reporting requirements of United States SARA Section 313			
CERCLA RQ	1000 lb		
SARA Section 302 Threshold Planning Quantity (TPQ)	1000 lb		

## 15.2. International regulations

08/21/2023 EN (English US) 7/9

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **DT11 - HD EXTERIOR WASH**

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

### Water (7732-18-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

### Sodium chloride (7647-14-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

### Sodium hydroxide (1310-73-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

### butyl glycolether (111-76-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

### ethylene glycol (107-21-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on EPA Hazardous Air Pollutant (HAPS)

### Sulfuric acid (7664-93-9)

Listed as carcinogen on NTP (National Toxicology Program)

### Sodium (C14-16) olefin sulfonate (68439-57-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

### d-Limonene (5989-27-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

### Liquitint Royal Blue HF (L85012)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

### Benzenesulfonic acid, C10-16-alkyl derivs. (68584-22-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

### 15.3. US State regulations

This product can expose you to Ethylene glycol (ingested), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

ethylene glycol (107-21-	1)			
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	Yes	No	No	

### Sodium hydroxide (1310-73-2)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

### butyl glycolether (111-76-2)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

### ethylene glycol (107-21-1)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

### Sulfuric acid (7664-93-9)

U.S. - New Jersey - Right to Know Hazardous Substance List

08/21/2023 EN (English US) 8/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# **SECTION 16: Other information**

Revision date : 08/21/2023 Other information : None.

## Full text of H-phrases:

Acute toxicity (dermal) Category 3
Acute toxicity (inhalation) Category 4
Acute toxicity (oral) Category 4
Hazardous to the aquatic environment – Acute Hazard Category 1
Hazardous to the aquatic environment – Acute Hazard Category 3
Hazardous to the aquatic environment – Chronic Hazard Category 1
Aspiration hazard Category 1
Serious eye damage/eye irritation Category 2
Serious eye damage/eye irritation Category 2B
Flammable liquids Category 3
Flammable liquids Category 4
Corrosive to metals Category 1
Skin corrosion/irritation Category 1
Skin corrosion/irritation Category 2
Skin sensitization, Category 1

SDS US (GHS HazCom 2012) - Custom

08/21/2023 EN (English US) 9/9