# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 09/12/2013 Revision date: 08/16/2023 Supersedes: 01/27/2023 Version: 1.0



## **SECTION 1: Identification**

### 1.1. Identification

Product form : Mixture

Product name : DT21 - ORANGE ALL PURPOSE DEGREASER

Product code : DT21

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Industrial and Institutional Degreaser / Detergent

#### 1.3. Details of the supplier of the safety data sheet

Sky Blue Chemical 760 W. Exchange Road Ogden, Utah 84401 - USA T (801) 394-8611

www.skybluechemical.com

#### 1.4. Emergency telephone number

Emergency number : Chemtrec 1-800-424-9300

## SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

#### **GHS US classification**

Skin Irrit. 2 Causes skin irritation
Eye Irrit. 2 Causes serious eye irritation
Skin Sens. 1 May cause an allergic skin reaction

#### 2.2. Label elements

#### **GHS US labeling**

Hazard pictograms (GHS US)



GHS07

Signal word (GHS US) : Warning

Hazard statements (GHS US) : Causes skin irritation

May cause an allergic skin reaction Causes serious eye irritation

Precautionary statements (GHS US)

Prevention : Avoid breathing dust/fume/gas/mist/vapors/spray.

Wash hands, forearms and face thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

Response : If on skin: Wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Specific treatment (see supplemental first aid instruction on this label).

If skin irritation occurs: Get medical advice/attention.
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.

Wash contaminated clothing before reuse.

Disposal : Dispose of contents/container to hazardous or special waste collection point, in accordance

with local, regional, national and/or international regulation.

#### 2.3. Other hazards

# 2.4. Unknown acute toxicity (GHS US)

08/16/2023 EN (English US) Page 1

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
UNDECETH-5	(CAS-No.) 34398-01-1	3 – 5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
butyl glycolether	(CAS-No.) 111-76-2	3 – 5	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2B, H320
Trisodium orthophosphate, dodecahydrate	(CAS-No.) 10101-89-0	1 – 3	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Sodium xylenesulfonate	(CAS-No.) 1300-72-7	1 – 3	Skin Irrit. 2, H315 Eye Irrit. 2B, H320 STOT SE 3, H335
Disodium metasilicate	(CAS-No.) 6834-92-0	1 – 3	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 STOT SE 3, H335
d-Limonene	(CAS-No.) 5989-27-5	0.1 – 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of hazard classes and H-statements : see section 16

### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation

or rash occurs: Get medical advice/attention. Wash skin with plenty of water.

First-aid measures after eye contact : If eye irritation persists: Get medical advice/attention. Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison

center/doctor/physician if you feel unwell.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause an allergic skin reaction.

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after eye contact : Causes serious eye irritation.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

## 5.2. Special hazards arising from the substance or mixture

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

## 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Do

not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

08/16/2023 EN (English US) 2/12

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with

proper protection. For further information refer to section 8: "Exposure controls/personal

protection".

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Prevent soil and water pollution. See Section 12 for additional Ecological information.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Wash hands

and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.

Hygiene measures : Wash hands and other exposed skin thoroughly after handling. Do not eat, drink or smoke

when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight,

Heat sources. Keep container closed when not in use. Store in a well-ventilated place. Keep

cool.

Incompatible products : Strong acids. Strong bases. Strong oxidizing agents.

Incompatible materials : Sources of ignition. Direct sunlight.

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

## d-Limonene (5989-27-5)

Not applicable

## UNDECETH-5 (34398-01-1)

Not applicable

butyl glycolether (111-76-2)			
ACGIH	ACGIH OEL TWA [ppm]	20 ppm	
ACGIH	Remark (ACGIH)	Eye & URT irr	
OSHA	OSHA PEL (TWA) [1]	240 mg/m³	
OSHA	OSHA PEL (TWA) [2]	50 ppm	

## Trisodium orthophosphate, dodecahydrate (10101-89-0)

Not applicable

## Disodium metasilicate (6834-92-0)

Not applicable

### Sodium xylenesulfonate (1300-72-7)

Not applicable

08/16/2023 EN (English US) 3/12

# Safety Data Sheet

Odor threshold

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses. Safety glasses.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : Wear appropriate mask.

Environmental exposure controls : Avoid release to the environment.

Other information : Do not eat, drink or smoke during use.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

: No data available: No data available: No data available

pH : 10.8 – 11 pH solution : 1 %

Melting point : Not applicable
Freezing point : No data available
Boiling point : No data available

Flash point : > 212 °F

Relative evaporation rate (butyl acetate=1) : No data available Flammability : Non flammable. Vapor pressure : No data available Relative vapor density at 20 °C : No data available

Relative density : 1.01 Density : 8.44 lb/gal Solubility Soluble in water. Partition coefficient n-octanol/water (Log Pow) : No data available : No data available Auto-ignition temperature Decomposition temperature : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available : No data available **Explosion limits** : No data available Explosive properties Oxidizing properties : No data available

9.2. Other information

VOC content : 5.9 %

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

## 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Not established.

## 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

08/16/2023 EN (English US) 4/12

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## 10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

## 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

## **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute toxicity : Not classified

d-Limonene (5989-27-5)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 5000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Read-across, Dermal, 7 day(s))
UNDECETH-5 (34398-01-1)	
LD50 oral rat	> 1400 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
butyl glycolether (111-76-2)	
LD50 oral rat	1746 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)
LD50 dermal rabbit	435 mg/kg body weight (Rabbit; Experimental value; OECD 402: Acute Dermal Toxicity; 435 mg/kg bodyweight; Rabbit; Weight of evidence; Equivalent or similar to OECD 402)
LC50 Inhalation - Rat	> 4.26 mg/l (4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))
ATE US (oral)	1746 mg/kg body weight
ATE US (dermal)	435 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
Trisodium orthophosphate, dodecahy	
LD50 oral rat	> 2000 mg/kg body weight (OECD 420: Acute Oral toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Anhydrous form, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value of similar product, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 0.83 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value (maximum achievable concentration), Inhalation (dust), 14 day(s))
Disodium metasilicate (6834-92-0)	
LD50 oral rat	1153 mg/kg
LD50 dermal rat	> 5000 mg/kg body weight (EPA OPPTS 870.1200: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 2.06 mg/l (EPA OPPTS 870.1300: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))
ATE US (oral)	1153 mg/kg body weight
Sodium xylenesulfonate (1300-72-7)	
LD50 oral rat	> 7000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 2000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 6.41 mg/l (Equivalent or similar to OECD 403, 232 minutes, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s))
kin corrosion/irritation	: Causes skin irritation.
	pH: 10.8 – 11
Serious eye damage/irritation	: Causes serious eye irritation.
-	·
	pH: 10.8 – 11

08/16/2023 EN (English US) 5/12

# Safety Data Sheet

symptoms

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

d-Limonene (5989-27-5)

IARC group 3 - Not classifiable

butyl glycolether (111-76-2)

IARC group 3 - Not classifiable

Reproductive toxicity : Not classified STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Potential Adverse human health effects and : Based on available data, the classification criteria are not met.

Symptoms/effects after inhalation : May cause an allergic skin reaction.

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after eye contact : Causes serious eye irritation.

## **SECTION 12: Ecological information**

Toxicity

EC50 - Crustacea [1]

Disodium metasilicate (6834-92-0)

Sodium xylenesulfonate (1300-72-7)

ErC50 algae

LC50 - Fish [1]

LC50 - Fish [1]

EC50 - Crustacea [1]

Ecology - general

Ecology - water	: Toxic to aquatic life. Toxic to aquatic life with long lasting effects.		
d-Limonene (5989-27-5)			
LC50 - Fish [1]	720 μg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)		
EC50 - Crustacea [1]	0.307 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semistatic system, Fresh water, Experimental value, GLP)		
UNDECETH-5 (34398-01-1)			
LC50 - Fish [1]	1 – 10 mg/l (96 hr.)		
EC50 - Crustacea [1]	1 – 10 mg/l (48 hr.)		
EC50 - Other aquatic organisms [1]	1 – 10 mg/l (96 hr.)(Algae)		
butyl glycolether (111-76-2)			
LC50 - Fish [1]	1474 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Lethal)		
EC50 - Crustacea [1]	1550 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)		
ErC50 algae	≈ 911 mg/l (72 Hr.)		
Trisodium orthophosphate, dodecahydi	rate (10101-89-0)		
LC50 - Fish [1]	> 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value, Lethal)		

system, Fresh water, Experimental value, Locomotor effect)

effects in the environment.

: The product is not considered harmful to aquatic organisms or to cause long-term adverse

> 100 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static

> 100 mg/l (EU Method C.3, 72 h, Desmodesmus subspicatus, Static system, Fresh water,

210 mg/l (ISO 7346-1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value)

1700 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental

> 1000 mg/l (EPA OTS 797.1400, 96 h, Oncorhynchus mykiss, Static system, Fresh water,

08/16/2023 EN (English US) 6/12

Experimental value, Nominal concentration)

value, ĞLP)

Experimental value)

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Sodium xylenesulfonate (1300-72-7)	
EC50 - Crustacea [1]	> 1000 mg/l (EPA OTS 797.1300, 48 h, Daphnia magna, Static system, Fresh water,
	Experimental value)
12.2. Persistence and degradability	
d-Limonene (5989-27-5)	
Persistence and degradability	Readily biodegradable in water.
ThOD	3.29 g O <sub>2</sub> /g substance
butyl glycolether (111-76-2)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air.
Biochemical oxygen demand (BOD)	0.71 g O₂/g substance
Chemical oxygen demand (COD)	2.2 g O <sub>2</sub> /g substance
ThOD	2.305 g O <sub>2</sub> /g substance
BOD (% of ThOD)	0.31
Trisodium orthophosphate, dodecahydrate (1	10101-89-0)
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
Disodium metasilicate (6834-92-0)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
Sodium xylenesulfonate (1300-72-7)	
Persistence and degradability	Readily biodegradable in water.
12.3. Bioaccumulative potential	
DT21 - ORANGE ALL PURPOSE DEGREASE	
Bioaccumulative potential	Not established.
·	TWO GOLDWINGTON.
<b>d-Limonene (5989-27-5)</b> BCF - Fish [1]	864.8 l/kg (BCFBAF v3.01, Pisces, QSAR, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	4.38 (Experimental value, Equivalent or similar to OECD 117, 37 °C)
Bioaccumulative potential	Not established.
·	Troc octabilities.
butyl glycolether (111-76-2)	0.04 /Furnitural during PAOF (acts 05.00)
Partition coefficient n-octanol/water (Log Pow)	0.81 (Experimental value; BASF test; 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
Trisodium orthophosphate, dodecahydrate (1	·
Bioaccumulative potential	Not bioaccumulative.
Disodium metasilicate (6834-92-0)	
Bioaccumulative potential	Not bioaccumulative.
Sodium xylenesulfonate (1300-72-7)	
Partition coefficient n-octanol/water (Log Pow)	-3.12 (Experimental value, EU Method A.8: Partition Coefficient, 20 °C)
Bioaccumulative potential	Not bioaccumulative.
12.4. Mobility in soil	
d-Limonene (5989-27-5)	
Surface tension	No data available in the literature
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.049 – 3.801 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Low potential for mobility in soil.
butyl glycolether (111-76-2)	
Surface tension	0.027 N/m (25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.451 – 0.882 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Highly mobile in soil.

08/16/2023 EN (English US) 7/12

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Trisodium orthophosphate, dodecahydrate (10101-89-0)			
Surface tension	Not applicable		
Ecology - soil	Adsorbs into the soil.		
Disodium metasilicate (6834-92-0)			
Surface tension	No data available in the literature		
Ecology - soil	Low potential for adsorption in soil.		
Sodium xylenesulfonate (1300-72-7)			
Surface tension	71 mN/m (20 °C, 90 %, EU Method A.5: Surface tension)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.42 (log Koc, SRC PCKOCWIN v2.0, Calculated value)		
Ecology - soil	Highly mobile in soil.		

## 12.5. Other adverse effects

Other information : Avoid release to the environment.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to comply with local/state/federal regulations..

Ecology - waste materials : Avoid release to the environment.

## **SECTION 14: Transport information**

#### **Department of Transportation (DOT)**

In accordance with DOT

Other information : No supplementary information available.

## **Transportation of Dangerous Goods**

Transport by sea

Marine pollutant

Air transport

## **SECTION 15: Regulatory information**

## 15.1. US Federal regulations

Contains chemical(s) subject to TSCA 12b export notification if product is shipped outside the U.S

Acetaldehyde CAS-No. 75-07-0 < 0.1%	
-------------------------------------	--

Sodium hydroxide (1310-73-2)		
Not subject to reporting requirements of the United States SARA Section 313		
CERCLA RQ 1000 lb		
1,4-dioxane (123-91-1)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313		
CERCLA RQ 100 lb		
SARA Section 313 - Emission Reporting	0.1 %	

08/16/2023 EN (English US) 8/12

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monday, M	aron 20; 2012 / Naico and Negaliations			
Ethylene oxide (75-21-8)				
Subject to reporting requirements of United States SARA Section 313				
CERCLA RQ	10 lb			
SARA Section 302 Threshold Planning Quantity (TPQ)	1000 lb			
SARA Section 313 - Emission Reporting	0.1 %			
Methyl alcohol (67-56-1)				
Listed on the United States TSCA (Toxic Substar Subject to reporting requirements of United State				
CERCLA RQ	5000 lb			
SARA Section 313 - Emission Reporting	1 %			
Tetrasodium ethylenediaminetetraactetate (64	-02-8)			
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard			
d-Limonene (5989-27-5)				
Listed on the United States TSCA (Toxic Substar	nces Control Act) inventory			
UNDECETH-5 (34398-01-1)				
EPA TSCA Regulatory Flag	FRI - FRI - indicates a polymeric substance containing no free-radical initiator in its Inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.  PMN - PMN - indicates a commenced PMN substance.  XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).			
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard			
Acetaldehyde (75-07-0)				
Subject to reporting requirements of United State	s SARA Section 313			
CERCLA RQ	1000 lb			
SARA Section 313 - Emission Reporting	0.1 %			
butyl glycolether (111-76-2)				
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard			
SARA Section 313 - Emission Reporting	1 %			
ethylene glycol (107-21-1)				
Subject to reporting requirements of United State	s SARA Section 313			
CERCLA RQ	5000 lb			
SARA Section 313 - Emission Reporting	1 %			
Trisodium orthophosphate, dodecahydrate (1	•			
Not listed on the United States TSCA (Toxic Substitute Not subject to reporting requirements of the United				
CERCLA RQ	5000 lb			
Disodium metasilicate (6834-92-0)				

## 15.2. International regulations

# DT21 - ORANGE ALL PURPOSE DEGREASER

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on the United States TSCA (Toxic Substances Control Act) inventory

## Water (7732-18-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

## Sodium hydroxide (1310-73-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

08/16/2023 EN (English US) 9/12

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 1,4-dioxane (123-91-1)

Listed on IARC (International Agency for Research on Cancer)

Listed as carcinogen on NTP (National Toxicology Program)

Listed on EPA Hazardous Air Pollutant (HAPS)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

#### Ethylene oxide (75-21-8)

Listed on IARC (International Agency for Research on Cancer)

Listed as carcinogen on NTP (National Toxicology Program)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on EPA Hazardous Air Pollutant (HAPS)

#### Methyl alcohol (67-56-1)

Listed on EPA Hazardous Air Pollutant (HAPS)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

#### Tetrasodium ethylenediaminetetraactetate (64-02-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

## Trisodium nitrilotriacetate (5064-31-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

#### d-Limonene (5989-27-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

## Liquitint Brilliant Orange (L82000)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

### UNDECETH-5 (34398-01-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

#### Acetaldehyde (75-07-0)

Listed as carcinogen on NTP (National Toxicology Program)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on EPA Hazardous Air Pollutant (HAPS)

## butyl glycolether (111-76-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

#### ethylene glycol (107-21-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on EPA Hazardous Air Pollutant (HAPS)

## Trisodium orthophosphate, dodecahydrate (10101-89-0)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

#### Disodium metasilicate (6834-92-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

### Sodium sulfate (7757-82-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

#### Sodium xylenesulfonate (1300-72-7)

. . . . . . .

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

### 15.3. US State regulations

1,4-dioxane (123-91-1)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
Yes	No	No	No	30 μg/day
Ethylene oxide (75-21-8)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
Yes	Yes	Yes	Yes	2 μg/day

08/16/2023 EN (English US) 10/12

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Methyl alcohol (67-56-1)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	Yes	No	No	

Acetaldehyde (75-07-0)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
Yes	No	No	No	90 μg/day

ethylene glycol (107-21-1)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	Yes	No	No	

#### Sodium hydroxide (1310-73-2)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

#### 1,4-dioxane (123-91-1)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

# Ethylene oxide (75-21-8)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

## Methyl alcohol (67-56-1)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List

## Trisodium nitrilotriacetate (5064-31-3)

U.S. - Massachusetts - Right To Know List

## Acetaldehyde (75-07-0)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

## butyl glycolether (111-76-2)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

## ethylene glycol (107-21-1)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

#### Sodium sulfate (7757-82-6)

- U.S. Massachusetts Right To Know List
- U.S. Pennsylvania RTK (Right to Know) List

08/16/2023 EN (English US) 11/12

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **SECTION 16: Other information**

Revision date : 08/16/2023 Other information : None.

# Full text of H-phrases:

xt of H-phrases:		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard Category 1	
Asp. Tox. 1	Aspiration hazard Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation Category 2	
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A	
Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B	
Flam. Liq. 3	Flammable liquids Category 3	
Flam. Liq. 4	Flammable liquids Category 4	
Met. Corr. 1	Corrosive to metals Category 1	
Skin Corr. 1B	Skin corrosion/irritation Category 1B	
Skin Irrit. 2	Skin corrosion/irritation Category 2	
Skin Sens. 1	Skin sensitization, Category 1	
STOT SE 3	E 3 Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

SDS US (GHS HazCom 2012) - Custom

08/16/2023 EN (English US) 12/12