Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 09/12/2013 Revision date: 04/27/2022 Supersedes: 01/24/2022 Version: 1.0



SECTION 1: Identification

1.1. Identification

Product form : Mixture

Product name : DT21 - ORANGE ALL PURPOSE DEGREASER

Product code : DT21

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Industrial and Institutional Degreaser / Detergent

1.3. Details of the supplier of the safety data sheet

Sky Blue Chemical 760 W. Exchange Road Ogden, Utah 84401 - USA T (801) 394-8611

www.skybluechemical.com

1.4. Emergency telephone number

Emergency number : Chemtrec 1-800-424-9300

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Skin Irrit. 2 Causes skin irritation
Eye Irrit. 2 Causes serious eye irritation
Skin Sens. 1 May cause an allergic skin reaction

2.2. Label elements

GHS US labeling

Hazard pictograms (GHS US)



GHS07

Signal word (GHS US) : Warning

Hazard statements (GHS US) : Causes skin irritation

May cause an allergic skin reaction Causes serious eye irritation

Precautionary statements (GHS US)

Prevention : Avoid breathing dust/fume/gas/mist/vapors/spray.

Wash hands, forearms and face thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

Response : If on skin: Wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Specific treatment (see supplemental first aid instruction on this label).

If skin irritation occurs: Get medical advice/attention.
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.

Wash contaminated clothing before reuse.

Disposal : Dispose of contents/container to hazardous or special waste collection point, in accordance

with local, regional, national and/or international regulation.

2.3. Other hazards

2.4. Unknown acute toxicity (GHS US)

05/04/2022 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
UNDECETH-5	(CAS-No.) 34398-01-1	3 – 10	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
butyl glycolether	(CAS-No.) 111-76-2	3 – 10	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2B, H320
Tetrasodium ethylenediaminetetraactetate	(CAS-No.) 64-02-8	0.1 – 3	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Dam. 1, H318
d-Limonene	(CAS-No.) 5989-27-5	1 – 3	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of hazard classes and H-statements : see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation

or rash occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : If eye irritation persists: Get medical advice/attention. Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation

persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison

center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause an allergic skin reaction.

Symptoms/effects after skin contact : Causes skin irritation. Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Causes serious eye irritation. Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

05/04/2022 EN (English US) 2/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

Avoid breathing dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with

proper protection. For further information refer to section 8: "Exposure controls/personal

protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Prevent soil and water pollution. See Section 12 for additional Ecological information.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wash hands and other exposed areas with mild

soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapors/spray.

Hygiene measures : Wash hands and other exposed skin thoroughly after handling. Wash contaminated clothing

before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight,

Heat sources. Keep container closed when not in use. Store in a well-ventilated place. Keep

cool.

Incompatible products : Strong acids. Strong bases. Strong oxidizing agents.

Incompatible materials : Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Tetrasodium ethylenediaminetetraactetate (64-02-8)
Not applicable
d-Limonene (5989-27-5)
Not applicable

UNDECETH-5 (34398-01-1)

Not applicable

butyl glycolether (111-76-2)			
ACGIH	ACGIH OEL TWA [ppm]	20 ppm	
ACGIH	Remark (ACGIH)	Eye & URT irr	
OSHA	OSHA PEL (TWA) [1]	240 mg/m³	
OSHA	OSHA PEL (TWA) [2]	50 ppm	

05/04/2022 EN (English US) 3/10

Safety Data Sheet

Odor threshold

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses. Safety glasses.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : Wear appropriate mask.

Environmental exposure controls : Avoid release to the environment.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

: No data available: No data available: No data available

pH : 10.8 – 11 pH solution : 1 %

Melting point: Not applicableFreezing point: No data availableBoiling point: No data available

Flash point : > 212 °F

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Non flammable. Vapor pressure : No data available Relative vapor density at 20 °C : No data available

Relative density 1.01 Density : 8.44 lb/gal Soluble in water. Solubility Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : No data available : No data available Decomposition temperature Viscosity, kinematic : No data available : No data available Viscosity, dynamic **Explosion limits** : No data available Explosive properties : No data available Oxidizing properties : No data available

9.2. Other information

VOC content : 5.9 %

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

05/04/2022 EN (English US) 4/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

1780 – 2000 mg/kg (Rat, Male / female, Experimental value, Oral)	
> 5000 mg/kg	
4.14 mg/l/4h Dust	
1780 mg/kg body weight	
4.14 mg/l/4h	
4.14 mg/l/4h	
> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral)	
> 5000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Read-across, Dermal)	
> 1400 mg/kg	
> 2000 mg/kg	
1746 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male, Experimental value, Oral, 14 day(s))	
> 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)	
435 mg/kg body weight (Rabbit; Experimental value; OECD 402: Acute Dermal Toxicity; 435 mg/kg bodyweight; Rabbit; Weight of evidence; Equivalent or similar to OECD 402)	
> 4.26 mg/l (4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))	
1746 mg/kg body weight	
435 mg/kg body weight	
4500 ppmV/4h	
11 mg/l/4h	
1.5 mg/l/4h	
: Causes skin irritation.	
pH: 10.8 – 11	
: Causes serious eve irritation.	
pH: 10.8 – 11	
: May cause an allergic skin reaction.	
: Not classified	
: Not classified	
3 - Not classifiable	
: Not classified	
: Not classified	

05/04/2022	EN (English US)	5/10
Symptoms/effects after skin contact	: Causes skin irritation. Irritation. May cause an allergic skin reaction.	
Symptoms/effects after inhalation	: May cause an allergic skin reaction.	
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.	
Aspiration hazard	: Not classified	
STOT-repeated exposure	: Not classified	
O. O. Gilligio Gilpodalo		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/effects after eye contact : Causes serious eye irritation. Eye irritation.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse

effects in the environment.

Ecology - water : Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Tetrasodium ethylenediaminetetraacteta	ate (64-02-8)	
LC50 - Fish [1]	121 mg/l (US EPA, 96 h, Lepomis macrochirus, Static system, Fresh water, Experimental value, Soft water)	
EC50 - Crustacea [1]	625 mg/l (DIN 38412-11, 24 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)	
ErC50 algae	> 100 mg/l (EU Method C.3, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Weight of evidence, Nominal concentration)	
d-Limonene (5989-27-5)		
LC50 - Fish [1]	720 µg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)	
EC50 - Crustacea [1]	0.307 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi- static system, Fresh water, Experimental value, GLP)	
ErC50 algae	0.32 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)	
UNDECETH-5 (34398-01-1)		
LC50 - Fish [1]	1 – 10 mg/l (96 hr.)	
EC50 - Crustacea [1]	1 – 10 mg/l (48 hr.)	
EC50 - Other aquatic organisms [1]	1 - 10 mg/l (96 hr.)(Algae)	
butyl glycolether (111-76-2)		
LC50 - Fish [1]	1474 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Lethal)	
EC50 - Crustacea [1]	1550 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)	
ErC50 algae	911 mg/l (72 Hr.)	

12.2. Persistence and degradability

DT21 - ORANGE ALL PURPOSE DEGREASER				
Persistence and degradability	istence and degradability May cause long-term adverse effects in the environment.			
Tetrasodium ethylenediaminetetraactetate (64-02-8)				
Persistence and degradability	Not readily biodegradable in water.			
Biochemical oxygen demand (BOD)	< 0.002 g O ₂ /g substance			
Chemical oxygen demand (COD)	0.54 – 0.58 g O ₂ /g substance			
d-Limonene (5989-27-5)				
Persistence and degradability	Readily biodegradable in water.			
ThOD	3.29 g O ₂ /g substance			
butyl glycolether (111-76-2)				
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air.			
Biochemical oxygen demand (BOD)	0.71 g O ₂ /g substance			
Chemical oxygen demand (COD)	2.2 g O ₂ /g substance			
ThOD	2.305 g O ₂ /g substance			
BOD (% of ThOD)	0.31			

12.3. Bioaccumulative potential

DT21 - ORANGE ALL PURPOSE DEGREASER		
Bioaccumulative potential Not established.		
Tetrasodium ethylenediaminetetraactetate (64-02-8)		
BCF - Fish [1] 1.1 – 1.8 (28 day(s), Lepomis macrochirus, Flow-through system, Fresh water, Experime value, Fresh weight)		
Partition coefficient n-octanol/water (Log Pow) -13.17 (Estimated value, KOWWIN)		

05/04/2022 EN (English US) 6/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Tetrasodium ethylenediaminetetraactetate (64-02-8)				
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).			
d-Limonene (5989-27-5)	d-Limonene (5989-27-5)			
BCF - Fish [1] 864.8 I/kg (BCFBAF v3.01, Pisces, QSAR, Fresh weight)				
Partition coefficient n-octanol/water (Log Pow)	4.38 (Experimental value, Equivalent or similar to OECD 117, 37 °C)			
Bioaccumulative potential	Not established.			
butyl glycolether (111-76-2)				
Partition coefficient n-octanol/water (Log Pow)	0.81 (Experimental value; BASF test; 25 °C)			
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).			

12.4. Mobility in soil

Tetrasodium ethylenediaminetetraactetate (64-02-8)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.495 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil	Low potential for adsorption in soil.	
d-Limonene (5989-27-5)		
Ecology - soil	Low potential for mobility in soil.	
butyl glycolether (111-76-2)		
Surface tension	0.027 N/m (25 °C)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.451 – 0.882 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil	Highly mobile in soil.	

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to comply with local/state/federal regulations..

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Other information : No supplementary information available.

Transportation of Dangerous Goods

Transport by sea

Marine pollutant :

Air transport

SECTION 15: Regulatory information

15.1. US Federal regulations

Contains chemical(s) subject to TSCA 12b export notification if product is shipped outside the U.S

05/04/2022 EN (English US) 7/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Acetaldehyde	CAS-No. 75-07-0	< 0.1%			
W-((7700 40 5)					
Water (7732-18-5)					
Listed on the United States TSCA (Toxic Substances Control Act) inventory					
Sodium hydroxide (1310-73-2)					
Listed on the United States TSCA (Toxic Substances Control Act) inventory Not subject to reporting requirements of the United States SARA Section 313					
CERCLA RQ	1000 lb				
1,4-dioxane (123-91-1)					
Listed on the United States TSCA (Toxic Substan Subject to reporting requirements of United States	ces Control Act) inventory				
CERCLA RQ	100 lb				
Ethylene oxide (75-21-8)					
Listed on the United States TSCA (Toxic Substan Subject to reporting requirements of United States					
CERCLA RQ	10 lb				
SARA Section 302 Threshold Planning Quantity (TPQ)	1000 lb				
Methyl alcohol (67-56-1)					
Listed on the United States TSCA (Toxic Substan					
Subject to reporting requirements of United States					
CERCLA RQ	5000 lb				
SARA Section 313 - Emission Reporting	1 %				
Tetrasodium ethylenediaminetetraactetate (64	•				
Listed on the United States TSCA (Toxic Substan SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard				
	Illinediate (acute) fleatiff flazard				
Trisodium nitrilotriacetate (5064-31-3) Listed on the United States TSCA (Toxic Substan	ces Control Act) inventory				
,	ces Control Act) inventory				
d-Limonene (5989-27-5) Listed on the United States TSCA (Toxic Substan	ces Control Act) inventory				
UNDECETH-5 (34398-01-1)					
Listed on the United States TSCA (Toxic Substan	ces Control Act) inventory				
EPA TSCA Regulatory Flag					
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard				
Acetaldehyde (75-07-0)					
Listed on the United States TSCA (Toxic Substan Subject to reporting requirements of United States					
CERCLA RQ	1000 lb				
SARA Section 313 - Emission Reporting	0.1 %				
butyl glycolether (111-76-2)					
Listed on the United States TSCA (Toxic Substan	,				
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard				
SARA Section 313 - Emission Reporting	1 %				
ethylene glycol (107-21-1)					
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313					
CERCLA RQ	5000 lb				
SARA Section 313 - Emission Reporting	1 %				

05/04/2022 EN (English US) 8/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2. International regulations

DT21 - ORANGE ALL PURPOSE DEGREASER

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

1,4-dioxane (123-91-1)

Listed on IARC (International Agency for Research on Cancer)

Listed as carcinogen on NTP (National Toxicology Program)

Listed on EPA Hazardous Air Pollutant (HAPS)

Ethylene oxide (75-21-8)

Listed on IARC (International Agency for Research on Cancer)

Listed as carcinogen on NTP (National Toxicology Program)

Listed on EPA Hazardous Air Pollutant (HAPS)

Methyl alcohol (67-56-1)

Listed on EPA Hazardous Air Pollutant (HAPS)

Liquitint Brilliant Orange (L82000)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

Acetaldehyde (75-07-0)

Listed as carcinogen on NTP (National Toxicology Program)

Listed on EPA Hazardous Air Pollutant (HAPS)

ethylene glycol (107-21-1)

Listed on EPA Hazardous Air Pollutant (HAPS)

15.3. US State regulations

1,4-dioxane (123-91-1)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
Yes	No	No	No	30 μg/day
Ethylene oxide (75-21-8)			
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
Yes	Yes	Yes	Yes	2 μg/day
Methyl alcohol (67-56-1				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	Yes	No	No	

Acetaldehyde (75-07-0)						
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)		
Yes	No	No	No	90 μg/day		

05/04/2022 EN (English US) 9/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ethylene glycol (107-21-1)						
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)		
No	Yes	No	No			

Sodium hydroxide (1310-73-2)

U.S. - New Jersey - Right to Know Hazardous Substance List

1,4-dioxane (123-91-1)

U.S. - New Jersey - Right to Know Hazardous Substance List

Ethylene oxide (75-21-8)

U.S. - New Jersey - Right to Know Hazardous Substance List

Methyl alcohol (67-56-1)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

Acetaldehyde (75-07-0)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

butyl glycolether (111-76-2)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

ethylene glycol (107-21-1)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Revision date : 04/27/2022 Other information : None.

Full text of H-phrases:

Acute toxicity (dermal) Category 3			
Acute toxicity (inhalation) Category 4			
Acute toxicity (inhalation:dust,mist) Category 4			
Acute toxicity (oral) Category 4			
Hazardous to the aquatic environment - Acute Hazard Category 1			
Hazardous to the aquatic environment - Chronic Hazard Category 1			
Serious eye damage/eye irritation Category 1			
Serious eye damage/eye irritation Category 2			
Serious eye damage/eye irritation Category 2A			
Serious eye damage/eye irritation Category 2B			
Flammable liquids Category 3			
Flammable liquids Category 4			
Skin corrosion/irritation Category 2			
Skin sensitization, Category 1			

SDS US (GHS HazCom 2012) - Custom

The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

05/04/2022 EN (English US) 10/10