

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 05/22/2020 Revision date: 03/15/2023 Supersedes: 02/22/2022 Version: 1.0

### **SECTION 1: Identification**

1.1. Identification

Product form : Mixture

Product name : CW52 - YELLOW SUPERTRATE TRIPLE FOAM POLISH

Product code : CW52

1.2. Relevant identified uses of the substance or mixture and uses advised against

# 1.3. Details of the supplier of the safety data sheet

Sky Blue Chemical 760 W. Exchange Road Ogden, Utah 84401 - USA T (801) 394-8611 www.skybluechemical.com

1.4. Emergency telephone number

Emergency number : Chemtrec 1-800-424-9300

# SECTION 2: Hazard(s) identification

### 2.1. Classification of the substance or mixture

### **GHS US classification**

Eye Irrit. 2 Causes serious eye irritation

### 2.2. Label elements

# **GHS US labeling**

Hazard pictograms (GHS US)



Signal word (GHS US) : Warning

Hazard statements (GHS US) : Causes serious eye irritation

Precautionary statements (GHS US)

Prevention : Wash hands, forearms and face thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

Response : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

### 2.3. Other hazards

# 2.4. Unknown acute toxicity (GHS US)

# **SECTION 3: Composition/Information on ingredients**

### 3.1. Substances

Not applicable

### 3.2. Mixtures

03/15/2023 EN (English US) Page 1

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS US classification
HUE METANIL CONC LIQUID		5 – 10	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2B, H320 Aquatic Acute 2, H401 Aquatic Chronic 4, H413
JUICY MANGO (Fragrance)		5 – 10	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
butyl glycolether	(CAS-No.) 111-76-2	3-5	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2B, H320
Isopropyl alcohol	(CAS-No.) 67-63-0	1 – 3	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Lauryldimethylamine oxide	(CAS-No.) 1643-20-5	1-3	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 2, H401 Aquatic Chronic 2, H411

Full text of hazard classes and H-statements : see section 16

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact : Eye irritation.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

### 5.2. Special hazards arising from the substance or mixture

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

03/15/2023 EN (English US) 2/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Reference to other sections

For further information refer to section 13.

# **SECTION 7: Handling and storage**

#### 7.1. **Precautions for safe handling**

: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal Precautions for safe handling

protective equipment.

: Do not eat, drink or smoke when using this product. Always wash hands after handling the Hygiene measures

### Conditions for safe storage, including any incompatibilities

: Store in a well-ventilated place. Keep cool. Storage conditions

# SECTION 8: Exposure controls/personal protection

### **Control parameters**

### **HUE METANIL CONC LIQUID**

Not applicable

### Lauryldimethylamine oxide (1643-20-5)

Not applicable

butyl glycolether (111-76-2)		
ACGIH	ACGIH OEL TWA [ppm]	20 ppm
ACGIH	Remark (ACGIH)	Eye & URT irr
OSHA	OSHA PEL (TWA) [1]	240 mg/m³
OSHA	OSHA PEL (TWA) [2]	50 ppm

Isopropyl alcohol (67-63-0)		
ACGIH	ACGIH OEL TWA [ppm]	200 ppm
ACGIH	ACGIH OEL STEL [ppm]	400 ppm
ACGIH	Remark (ACGIH)	Eye & URT irr; CNS impair
OSHA	OSHA PEL (TWA) [1]	980 mg/m³
OSHA	OSHA PEL (TWA) [2]	400 ppm

### **JUICY MANGO**

Not applicable

Odor threshold

### **Exposure controls**

Appropriate engineering controls : Ensure good ventilation of the work station.

Hand protection Protective gloves. Eye protection Safety glasses.

Wear suitable protective clothing. Skin and body protection

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

Environmental exposure controls : Avoid release to the environment.

### **SECTION 9: Physical and chemical properties**

# Information on basic physical and chemical properties

Physical state : Liquid

> : No data available : No data available : No data available

рΗ : 6-8

Melting point : Not applicable Freezing point : No data available

03/15/2023 EN (English US) 3/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Boiling point : No data available

Flash point : > 212 °F

Relative evaporation rate (butyl acetate=1) : No data available Flammability : Not applicable. Vapor pressure : No data available Relative vapor density at 20 °C : No data available Relative density : No data available Density : 9.46 lb/gal Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : No data available

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosion limits : No data available
Explosive properties : No data available
Oxidizing properties : No data available

9.2. Other information

# SECTION 10: Stability and reactivity

#### 10.1 Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

# 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

HUE METANIL CONC LIQUID	
LD50 oral rat	> 3000 mg/kg
LD50 dermal rat	> 2 g/kg
ATE US (oral)	500 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
Lauryldimethylamine oxide (1643-20-5)	
LD50 oral rat	1064 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))
ATE US (oral)	1064 mg/kg body weight
butyl glycolether (111-76-2)	
LD50 oral rat	1746 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male, Experimental value, Oral, 14 day(s))

03/15/2023 EN (English US) 4/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

butyl glycolether (111-76-2)	
LD50 dermal rat	> 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)
LD50 dermal rabbit	435 mg/kg body weight (Rabbit; Experimental value; OECD 402: Acute Dermal Toxicity; 435 mg/kg bodyweight; Rabbit; Weight of evidence; Equivalent or similar to OECD 402)
LC50 Inhalation - Rat	> 4.26 mg/l (4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))
ATE US (oral)	1746 mg/kg body weight
ATE US (dermal)	435 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
Isopropyl alcohol (67-63-0)	
LD50 oral rat	5840 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	16400 ml/kg (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 1 day(s))
LC50 Inhalation - Rat [ppm]	> 10000 ppm (Equivalent or similar to OECD 403, 6 h, Rat, Male / female, Experimental value Inhalation (vapours), 14 day(s))
ATE US (oral)	5840 mg/kg body weight
ATE US (dermal)	12890400 mg/kg body weight
JUICY MANGO	
ATE US (oral)	500 mg/kg body weight
Skin corrosion/irritation	: Not classified
	pH: 6 – 8
Serious eye damage/irritation	: Causes serious eye irritation.
	pH: 6 – 8
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
butyl glycolether (111-76-2)	
IARC group	3 - Not classifiable
Isopropyl alcohol (67-63-0)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Assistant to be assisted	Net stage?
Aspiration hazard	: Not classified
Symptoms/effects after eye contact	: Eye irritation.
SECTION 12: Ecological information	on
2.1. Toxicity	: The product is not considered harmful to aquatic organisms or to cause long-term adverse
Ecology - general	I ha product to not concidered bornetil to consider argonisms or to course long torm adverse.

Lauryldimethylamine oxide (1643-2	20-5)
LC50 - Fish [1]	134 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value)
EC50 - Crustacea [1]	3.9 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
butyl glycolether (111-76-2)	
LC50 - Fish [1]	1474 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Lethal)

03/15/2023 EN (English US) 5/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

butyl glycolether (111-76-2)	
EC50 - Crustacea [1]	1550 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 algae	≈ 911 mg/l (72 Hr.)
Isopropyl alcohol (67-63-0)	
LC50 - Fish [1]	9640 – 10000 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal)

# 12.2. Persistence and degradability

Lauryldimethylamine oxide (1643-20-5)	
Persistence and degradability	Readily biodegradable in water.
butyl glycolether (111-76-2)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air.
Biochemical oxygen demand (BOD)	0.71 g O₂/g substance
Chemical oxygen demand (COD)	2.2 g O <sub>2</sub> /g substance
ThOD	2.305 g O₂/g substance
BOD (% of ThOD)	0.31
Isopropyl alcohol (67-63-0)	
Persistence and degradability	Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	1.19 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	2.23 g O <sub>2</sub> /g substance
ThOD	2.4 g O <sub>2</sub> /g substance

# 12.3. Bioaccumulative potential

Lauryldimethylamine oxide (1643-20-5)		
Partition coefficient n-octanol/water (Log Pow)	< 2.7 (Calculated)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
butyl glycolether (111-76-2)		
Partition coefficient n-octanol/water (Log Pow)	0.81 (Experimental value; BASF test; 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
Isopropyl alcohol (67-63-0)		
Partition coefficient n-octanol/water (Log Pow)	0.05 (Weight of evidence approach, 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	

# 12.4. Mobility in soil

Lauryldimethylamine oxide (1643-20-5)	
Ecology - soil	Low potential for adsorption in soil.
butyl glycolether (111-76-2)	
Surface tension	0.027 N/m (25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.451 – 0.882 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Highly mobile in soil.
Isopropyl alcohol (67-63-0)	
Surface tension	No data available (test not performed)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.185 – 0.541 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Highly mobile in soil.

### 12.5. Other adverse effects

03/15/2023 EN (English US) 6/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

# **SECTION 14: Transport information**

### **Department of Transportation (DOT)**

In accordance with DOT

Not applicable

### **Transportation of Dangerous Goods**

Not applicable

..

### Transport by sea

Not applicable

#### Air transport

Not applicable

# **SECTION 15: Regulatory information**

15.1. US Federal regulations

### Cocamidopropyl bentaine (61789-40-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

# Glycerol (56-81-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### Lauryldimethylamine oxide (1643-20-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

# DMDM HYDANTOIN (6440-58-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Forma	ldehyde (	(50-00-0)
-------	-----------	-----------

Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313

CERCLA RQ	100 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	500 lb
SARA Section 313 - Emission Reporting	0.1 %

### Methyl alcohol (67-56-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313

CERCLA RQ	5000 lb
SARA Section 313 - Emission Reporting	1 %

# butyl glycolether (111-76-2)

SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard
SARA Section 313 - Emission Reporting	1 %

# ethylene glycol (107-21-1)

	Subject to reporting requirements of United States SARA Section 313		
	CERCLA RQ	5000 lb	
ſ	SARA Section 313 - Emission Reporting	1 %	

03/15/2023 EN (English US) 7/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Isopropy	l alaahal	/67 63 A\
ISODIODV	alconor	เท/-กภ-เม

Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313

SARA Section 313 - Emission Reporting 1 %

### **Quaternary Ammonium Compounds (Not Available)**

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Quarternary ammonium chloride compound

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

### 15.2. International regulations

### **HUE METANIL CONC LIQUID**

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

#### Water (7732-18-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

### Sodium chloride (7647-14-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

### Formaldehyde (50-00-0)

Listed on IARC (International Agency for Research on Cancer)

Listed as carcinogen on NTP (National Toxicology Program)

Listed on EPA Hazardous Air Pollutant (HAPS)

# Methyl alcohol (67-56-1)

Listed on EPA Hazardous Air Pollutant (HAPS)

### butyl glycolether (111-76-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

### ethylene glycol (107-21-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on EPA Hazardous Air Pollutant (HAPS)

### **Quaternary Ammonium Compounds (Not Available)**

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

### **JUICY MANGO**

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

#### Quarternary ammonium chloride compound

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

### 15.3. US State regulations

Formaldehyde (50-00-0)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
Yes	No	No	No	40 μg/day
Methyl alcohol (67-56-1)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	Yes	No	No	

03/15/2023 EN (English US) 8/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ethylene glycol (107-21-1)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	Yes	No	No	

### Glycerol (56-81-5)

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

### Formaldehyde (50-00-0)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

### Methyl alcohol (67-56-1)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List

# butyl glycolether (111-76-2)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

# ethylene glycol (107-21-1)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

### Isopropyl alcohol (67-63-0)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

# **SECTION 16: Other information**

Revision date : 03/15/2023

### Full text of H-phrases:

West production		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4	
Aquatic Acute 2	Hazardous to the aquatic environment – Acute Hazard Category 2	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard Category 2	
Aquatic Chronic 4	Hazardous to the aquatic environment – Chronic Hazard Category 4	
Eye Dam. 1	Serious eye damage/eye irritation Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation Category 2	
Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B	
Flam. Liq. 2	Flammable liquids Category 2	
Flam. Liq. 4 Flammable liquids Category 4		
Skin Irrit. 2	Skin corrosion/irritation Category 2	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis	

SDS US (GHS HazCom 2012) - Custom

03/15/2023 EN (English US) 9/9